







Chei inelare de soc - 184/7



Descriere

- material: oțel carbon de scule
- forjată, calire și revenire totală
- Acoperire: uleiare anticorozivă
- în concordanță cu standardul DIN 7444(numai dimensiunile în mm)

Date Tehnice






			L	B	A				
620494	24	180	48.6	16	534	-	-	0	
620495	27	180	48.6	16	514	-	-	0	
620496	30	180	48.6	16	488	-	-	0	
620497	32	190	58.4	18	739	-	-	0	
620498	36	190	58.4	18	694	-	-	0	
620499	41	235	74	22	1425	-	-	0	
620500	46	235	74	22	1360	-	-	0	
620501	50	235	74	22	1335	-	-	0	
620502	55	275	97.6	27	2800	-	-	0	
620503	60	275	97.6	27	2710	-	-	0	
620504	65	275	97.6	27	2580	-	-	0	
620505	70	330	108	33	4685	-	-	0	
620506	75	330	108	33	4570	-	-	0	
620507	80	360	124	36	4305	-	-	0	
620508	85	360	124	36	4220	-	-	0	
620509	90	390	142	39	5335	-	-	0	
620510	95	390	142	39	5090	-	-	0	
620511	100	425	153	44	6800	-	-	0	
620512	105	425	153	45	5930	-	-	0	
620513	110	450	168	47	8200	-	-	0	
620514	115	450	168	47	8400	-	-	0	
620515	120	495	190	53	11400	-	-	0	
620516	125	495	190	53	10800	-	-	0	
620517	130	520	200	58	13400	-	-	0	
620518	135	520	200	60	13800	-	-	0	
620519	140	575	220	61	17000	-	-	0	
620520	145	575	220	61	16600	-	-	0	
620521	150	575	220	61	17000	-	-	0	
620522	1.1/16"	180	49	16	512	-	-	0	
620523	1.1/8"	180	49	16	511	-	-	0	
620524	1.3/16"	180	49	16	502	-	-	0	
620525	1.1/4"	190	58	18	740	-	-	0	
620526	1.5/16"	190	58	18	708	-	-	0	
620527	1.3/8"	190	58	18	700	-	-	0	
620528	1.7/16"	190	58	18	687	-	-	0	
620529	1.1/2"	235	74	22	1470	-	-	0	
620530	1.5/8"	235	74	22	1425	-	-	0	
620531	1.11/16"	235	74	22	1440	-	-	0	
620532	1.3/4"	235	74	22	1410	-	-	0	
620533	1.13/16"	235	74	22	1360	-	-	0	
620534	1.7/8"	235	74	22	1350	-	-	0	
620535	2"	235	74	22	1335	-	-	0	
620536	2.1/16"	275	98	27	1860	-	-	0	
620537	2.1/8"	275	98	27	2840	-	-	0	
620538	2.3/16"	275	98	27	2800	-	-	0	
620539	2.1/4"	275	98	27	2730	-	-	0	
620540	2.5/16"	275	98	27	2670	-	-	0	
620541	2.3/8"	275	98	27	2710	-	-	0	
620542	2.1/2"	300	102	28.5	2580	-	-	0	
620543	2.9/16"	300	102	28.5	2580	-	-	0	
620544	2.5/8"	300	102	28.5	4685	-	-	0	
620545	2.3/4"	330	108	33	4685	-	-	0	
620546	2.15/16"	330	108	33	4520	-	-	0	
620547	3"	330	108	33	4570	-	-	0	
620548	3.1/8"	360	124	36	4305	-	-	0	
620549	3.3/8"	360	124	36	4220	-	-	0	
620550	3.1/2"	390	142	39	5335	-	-	0	
620551	3.3/4"	390	142	39	5090	-	-	0	
620552	3.7/8"	425	153	44	6910	-	-	0	

Barcode	Symbol	L	B	A	Person	Truck	Trailer
620553	4"	425	153	44	6800	-	0
620554	4.1/8"	425	153	45	6800	-	0
620555	4.1/2"	450	168	47	8400	-	0

Date de ambalare

Barcode	Symbol	Mod de reambalare.				Ambalare pentru transport.				
		A	B	C	Person	Truck	A1	B1	C1	Person
620494	24	82	220	32	604	1	90	205	60	604
620495	27	82	220	32	584	1	90	205	60	584
620496	30	82	220	32	558	1	90	205	60	558
620497	32	82	220	32	809	1	100	210	70	-
620498	36	82	220	32	764	1	100	210	70	764
620499	41	90	250	30	1495	1	-	-	-	-
620500	46	90	250	30	1430	1	-	-	-	-
620501	50	90	250	30	1405	1	-	-	-	-
620502	55	110	290	35	2870	1	-	-	-	-
620503	60	110	290	35	2780	1	-	-	-	-
620504	65	110	290	35	2650	1	-	-	-	-
620505	70	135	355	45	4755	1	-	-	-	-
620506	75	130	350	45	4640	1	-	-	-	-
620507	80	130	350	45	4375	1	-	-	-	-
620508	85	165	390	50	4290	1	-	-	-	-
620509	90	170	415	50	5405	1	-	-	-	-
620510	95	170	420	50	5160	1	-	-	-	-
620511	100	170	455	50	6870	1	-	-	-	-
620512	105	170	460	50	6000	1	-	-	-	-
620513	110	190	490	55	8270	1	-	-	-	-
620514	115	185	485	55	8470	1	-	-	-	-
620515	120	215	545	60	11470	1	-	-	-	-
620516	125	215	550	60	10870	1	-	-	-	-
620517	130	230	570	70	13470	1	-	-	-	-
620518	135	230	565	70	13870	1	-	-	-	-
620519	140	245	625	70	17070	1	-	-	-	-
620520	145	250	625	70	16670	1	-	-	-	-
620521	150	250	625	70	17070	1	-	-	-	-
620522	1.1/16"	82	220	32	582	1	90	205	60	582
620523	1.1/8"	82	220	32	581	1	90	60	205	581
620524	1.3/16"	82	220	32	572	1	90	205	60	572
620525	1.1/4"	82	220	32	810	1	100	210	70	810
620526	1.5/16"	82	220	32	778	1	100	210	70	778
620527	1.3/8"	82	220	32	770	1	100	210	70	770
620528	1.7/16"	82	220	32	757	1	100	210	70	757
620529	1.1/2"	90	250	30	1540	1	-	-	-	-
620530	1.5/8"	90	250	30	1495	1	-	-	-	-
620531	1.11/16"	90	245	30	1510	1	-	-	-	-
620532	1.3/4"	90	250	30	1480	1	-	-	-	-
620533	1.13/16"	90	250	30	1430	1	-	-	-	-
620534	1.7/8"	90	250	30	1420	1	-	-	-	-
620535	2"	90	250	30	1405	1	-	-	-	-
620536	2.1/16"	110	285	35	1930	1	-	-	-	-
620537	2.1/8"	110	290	35	2910	1	-	-	-	-
620538	2.3/16"	110	290	35	2870	1	-	-	-	-
620539	2.1/4"	110	285	34	2800	1	-	-	-	-
620540	2.5/16"	110	290	33	2740	1	-	-	-	-
620541	2.3/8"	110	290	35	2780	1	-	-	-	-
620542	2.1/2"	90	285	35	2650	1	-	-	-	-
620543	2.9/16"	110	290	35	2650	1	-	-	-	-
620544	2.5/8"	135	350	45	4755	1	-	-	-	-
620545	2.3/4"	135	355	45	4755	1	-	-	-	-
620546	2.15/16"	135	350	45	4590	1	-	-	-	-
620547	3"	130	350	45	4640	1	-	-	-	-
620548	3.1/8"	130	350	45	4375	1	-	-	-	-
620549	3.3/8"	165	390	50	4290	1	-	-	-	-
620550	3.1/2"	170	415	50	5405	1	-	-	-	-
620551	3.3/4"	170	420	50	5160	1	-	-	-	-
620552	3.7/8"	170	460	55	6980	1	-	-	-	-
620553	4"	170	455	50	6870	1	-	-	-	-



		Mod de reambalare.			Ambalare pentru transport.					
		A	B	C			A1	B1	C1	
620554	4.1/8"	170	460	50	6870	1	-	-	-	-
620555	4.1/2"	185	485	55	8470	1	-	-	-	-
